

**БИЛМАТ**



**BILMAT**

**Declaration of Conformity**

Below signed, Boris Todorov – manager of Bilmat Ltd  
address: Shumen, 7a Dr. Petar Kardzhiev Str,  
declare on my own responsibility that the following product

**“Stirencol”**

**Adhesive – ground coat for isolation flatness**

class CS IV

for which this declaration is referred to is produced under strict control and in  
correspondence with **EN 13 499 EN 998-1**

and this congruence is assessed according to Directive 89/106/EEC for building products  
and the regulation for construction sites and assessment of the building materials.

The given declaration is issued on the basis of a protocol from the initial testing of the type  
of the product N344/24.03.2008 issued by “RIBM” Ltd Sofia with the following  
identification number CPD 05-NB 1950/17.09.07

The date of placing the labeling **CE** is 2008

I declare that I am fully aware of the responsibility I assume according to clause 313 from  
the Criminal Code

Application instructions:

Pasting: The mix is put on several places under the form of balls on the back side of the  
isolating plate and on the periphery with a continuous layer. The same plate is pasted gently.  
On smooth bases apply the mix on the whole surface of the isolating plate with a toothed  
pallet with a 8-10 mm tooth and stick.

Ground coat: Apply the mix on the surface of the pasted tiles with a metal mortar-board in a  
layer. In it apply the glass fiber net with 10 cm covering and then smooth the solution.

Do not apply outside with temperatures below +5°C .

21.01.2011

Manager

Shumen

B. Todorov